VOL. 660, NOS. 1 + 2 JOURNAL OF CHROMATOGRAPHY A FEBRUARY 4, 1994

CONTENTS

17TH INTERNATIONAL SYMPOSIUM ON COLUMN LIQUID CHROMATOGRAPHY, HAMBURG, MAY 9–14, 1993, PART I

Foreword
by K.K. Unger (Mainz, Germany) 1

THEORETICAL ASPECTS

Quantitative study of retention processes in reversed-phase liquid chromatography by means of reaction kinetics
by B.S. Ludolph, C.-Y. Jeng, A.H.T. Chu and S.H. Langer (Madison, WI, USA) 3

Explanation of the selectivity differences between reversed-phase ion-pair chromatographic systems containing trifluoroacetate or heptafluorobutyrate as pairing ion
by M. Patthy (Budapest, Hungary) 17

Determination of rate constants in a liquid chromatographic reactor by means of a fitting algorithm
by R. Thede, D. Haberland and E. Below (Greifswald, Germany) 25

Method development by an expert system. Advantages and limitations
by J. Fekete, G. Morovján, F. Csizmadia and F. Darvas (Budapest, Hungary) 33

Calculation of retention in reversed-phase liquid chromatography. IV. ChromDream software for the selection of initial conditions and for simulating chromatographic behaviour
by S.V. Galushko, A.A. Kamenchuk and G.L. Pit (Kiev, Ukraine) 47

Optimization of high-performance liquid chromatography and solvent parameters for the separation of polycyclic aromatic hydrocarbons compared with supercritical fluid chromatography with UV detection
by B.W. Wenclawiak and T. Hees (Siegen, Germany) 61

Mobile phase selection for high-performance liquid chromatographic analysis of novel zinc(II) carboxylates with N-donor ligands
by A. Oriňák and K. Gyoryová (Košice, Slovak Republic), E. Matisová (Bratislava, Slovak Republic) and L. Šlesárová, J. Skoršepa, I. Rosival and M. Ganajová (Košice, Slovak Republic) 67

PRACTICAL ASPECTS

High-performance liquid chromatography of amino acids, peptides and proteins. CXXV. Molecular dynamics simulation of *n*-butyl chains chemically bonded to silica-based reversed-phase high-performance liquid chromatography sorbents
by I. Yarovsky, M.-I. Aguilar and M.T.W. Hearn (Clayton, Australia) 75

Perfusion chromatography. Effect of micropore diffusion on column performance in systems utilizing perfusive adsorbent particles with a bidisperse porous structure
by A.I. Liapis and M.A. McCoy (Rolla, MO, USA) 85

Characterization of covalently bonded and adsorbed polymer coatings on silica, alumina and zirconia by means of physico-chemical and chromatographic methods
by A. Kurganov, V. Davankov and T. Isajeva (Moscow, Russian Federation), K. Unger (Mainz, Germany) and F. Eisenbeiss (Darmstadt, Germany) 97

Experimental study on the separation of silica gel supports by gravitational field-flow fractionation
by J. Pazourek, E. Urbánková and J. Chmelík (Brno, Czech Republic) 113

Determination of drugs by direct injection of plasma into a biocompatible extraction column based on a protein-entrapped hydrophobic phase
by J. Hermansson and A. Grahn (Hägersten, Sweden) 119

Polytrifluorostyrene-coated silica as a packing for column liquid chromatography
by A.D. Kataev, V.V. Saburov, O.A. Reznikova, D.V. Kapustin and V.P. Zubov (Moscow, Russian Federation) . 131

Perfusible and non-perfusible supports with monoclonal antibodies for bioaffinity chromatography of *Escherichia coli* penicillin amidase within its pH stability range
by V. Kasche, N. Gottschlich, A. Lindberg, C. Niebuhr-Redder and J. Schmieding (Hamburg, Germany) 137

Improvement of the performance of single-column ion chromatography by computerized detector signal processing and correlation chromatography
by M. Kaljurand, E. Urbas and U. Haldna (Tallinn, Estonia) 147

Enzyme-based biosensor as a selective detection unit in column liquid chromatography
by G. Marko-Varga, K. Johansson and L. Gorton (Lund, Sweden) 153

Synergies between micropreparative high-performance liquid chromatography and an instrumental optical biosensor
by E. Nice, M. Lackmann, F. Smyth, L. Fabri and A.W. Burgess (Melbourne, Australia) 169

Parallel-current open-tubular liquid chromatography with fluorimetric detection
by M. Horká, V. Kahle and K. Šlais (Brno, Czech Republic) 187

APPLICATIONS

Environmental

Application of high-performance gel-permeation chromatography clean-up in the determination of hexaflumuron residues in soil
by A. Khoshab and R. Teasdale (Wantage, UK) 195

Analysis of sulphonated polyphenols, synthetic tanning agents in heavily polluted tannery wastewaters
by T. Reemtsma and M. Jekel (Berlin, Germany) 199

Determination of traces of pyrethrins and piperonyl butoxide in biological material by high-performance liquid chromatography
by R. Wintersteiger, B. Ofner, H. Juan and M. Windisch (Graz, Austria) 205

Determination of aluminium and its fluoro complexes in natural waters by ion chromatography
by S. Motellier and H. Pitsch (Fontenay-aux-Roses, France) 211

Determination of triazines and dinitroanilines in waters by high-performance liquid chromatography after solid-phase extraction
by P. Vitali, E. Venturini, C. Bonora, R. Calori and R. Raffaelli (Bologna, Italy) 219

Clean-up by high-performance liquid chromatography of polychlorodibenzo-*p*-dioxins and polychlorodibenzofurans on a pyrenylethylsilica gel column
by U. Pyell (Marburg, Germany) and P. Garrigues (Talence, France) 223

Thermospray liquid chromatographic–mass spectrometric multi-residue determination of 128 polar pesticides in aqueous environmental samples
by D. Volmer, K. Levsen and G. Wünsch (Hannover, Germany) 231

Chiral

Influence of the structure of the alcoholic modifier on the enantioselective separation of nadolol
by A.M. Dyas and M.L. Robinson (Moreton, UK) and A.F. Fell (Bradford, UK) 249

Epimeric N-substituted L-proline derivatives as chiral selectors for ligand-exchange chromatography
by E. Veigl and W. Lindner (Graz, Austria) 255

Stereoselective effects in the separation of enantiomers of omeprazole and other substituted benzimidazoles on different chiral stationary phases
by K. Balmér, B.-A. Persson and P.-O. Lagerström (Mölndal, Sweden) 269

Retention and enantioselective properties of ovomucoid-bonded silica columns. Influence of physical properties of base materials and spacer length
by J. Haginaka, C. Seyama and T. Murashima (Nishinomiya, Japan) and H. Fujima and H. Wada (Kyoto, Japan) 275

Monitoring of optical isomers of β-methylphenylalanine in opioid peptides
by A. Péter, G. Tóth and E. Cserpán (Szeged, Hungary) and D. Tourwé (Brussels, Belgium) 283

Pharmacological

High-performance liquid chromatographic determination of FCE 24928, a new aromatase inhibitor, in human plasma
by E. Fontana, E. Pianezzola, G. Basileo and M. Strolin Benedetti (Milan, Italy) 293

Determination of paeoniflorin, ferulic acid and baicalin in the traditional Chinese medicinal preparation Dang-Guei-San by high-performance liquid chromatography
by Y.-C. Lee, C.-Y. Huang, K.-C. Wen and T.-T. Suen (Taipei, Taiwan) 299

Simultaneous determination of L-693,612, a topical carbonic anhydrase inhibitor, and two potential metabolites in human whole blood by ion-pair high-performance liquid chromatography
by E.J. Woolf, T. Au, M. Kasper, M. Constanzer and B. Matuszewski (West Point, PA, USA) 307

Retention of some monoamine oxidase inhibitory drugs on a β-cyclodextrin polymer-coated silica column
by T. Cserháti and E. Forgács (Budapest, Hungary) 313

Automated assay for GV104326, a novel tribactam antibiotic, in human plasma by high-performance liquid chromatography and solid-phase extraction
by R.J. Barnaby and L. Iavarone (Verona, Italy) 319

Rapid, high-resolution high-performance liquid chromatographic analysis of antibiotics
by K.M. Kirkland and D.A. McCombs (Wilmington, DE, USA) and J.J. Kirkland (Newport, DE, USA) 327

Liquid chromatographic retention behaviour and separation of promethazine and isopromethazine on a β-cyclodextrin bonded-phase column
by S. Piperaki, A. Perakis and M. Parissi-Poulou (Athens, Greece) 339

Sensitive procedure for the determination of reboxetine enantiomers in human plasma by reversed-phase high-performance liquid chromatography with fluorimetric detection after chiral derivatization with (+)-1-(9-fluorenyl)ethyl chloroformate
by E. Frigerio, E. Pianezzola and M. Strolin Benedetti (Milan, Italy) 351